



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/707,963	11/08/2000	Asumaru Tezuka	Q61597	1062

7590 06/18/2004
Sughrue Mion Zinn MacPeak & Seas PLLC
2100 Pennsylvania Avenue N W
Washington, DC 20037-3213

EXAMINER

LE, DUY K

ART UNIT	PAPER NUMBER
----------	--------------

2685

7

DATE MAILED: 06/18/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/707,963

Applicant(s)

TEZUKA, ASUMARU

Examiner

Duy K Le

Art Unit

2685

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
 - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
 - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
 - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 3/23/04.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-25 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-25 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 5.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

1. This action is in response to amendment filed on March 23, 2004.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claims 12, 14, and 17-19 are rejected under 35 U.S.C. 102(e) as being anticipated by Hsueh (U.S. Patent 6,366,784).

As to claim 12, Figures 1 and 3 in Hsueh shows a multifunction telephone (1) comprising:

a handset (4) (see Col. 2, lines 34-45);

a connection control section (6, 11) to which a portable radiophone (7) is to be connected (see Col. 2, lines 34-45); and

a communication control section for controlling a wired line communication and a radio channel communication through said connection control section and said portable radiophone (see Col. 2, line 61 to Col. 3, line 6, and Col. 3, lines 41-49).

wherein said communication control section detects a call arrival at said portable radiophone through said connection control section, and responds to an arrived call at said

Art Unit: 2685

portable radiophone through said connection control section when the response to said arrived call is permitted (see Col. 2, line 61 to Col. 3, line 6).

As to claim 14, the Hsueh reference discloses the multifunction telephone according to claim 12, wherein said communication control section receives said call arrival at said portable radiophone, and responds to an arrived call at said portable radiophone through said connection control section when the response to said arrived call is permitted (see Col. 2, line 61 to Col. 3, line 6).

As to claim 17, Hsueh discloses the multifunction telephone according to claim 12, wherein the communication control section carries out an extension line communication with another multifunction telephone ("the telephone set 1 with the mobile phone 7 positioned in the slot 6 not only could be used as a regular telephone set but also could have any number of extension telephone sets connected to it" (Col. 3, lines 46-49).

As to claim 18, the Hsueh reference discloses the multifunction telephone according to claim 12, wherein said communication control section originates a dial data comprising a dial number of a destination radiophone through said connection control section, such that said portable radiophone originates a call to said destination radiophone based on said dial data (see Col. 3, lines 18-29).

As to claim 19, the Hsueh reference discloses the multifunction telephone according to claim 12, wherein said communication control section receives a dial data comprising a dial number of a destination radiophone and sends said dial data through said connection control section, such that said portable radiophone originates a call to said destination radiophone based on said dial data (see Col. 3, lines 18-29).

As to claim 20, Figures 1 and 3 in Hsueh shows a multifunction telephone (1) comprising:

a handset (4) (see Col. 2, lines 34-45);

a connection control section (6, 11) to which a portable radiophone (7) is to be connected (see Col. 2, lines 34-45); and

a communication control section for controlling a wired line communication and a radio channel communication through said connection control section and said portable radiophone (see Col. 2, line 61 to Col. 3, line 6, and Col. 3, lines 41-49).

wherein said communication control section is switched from a wired line communication mode to a radio communication mode to answer a call addressed to said portable radiophone via said handset (see Col. 2, line 61 to Col. 3, line 10).

As to claim 22, Hsueh discloses a multifunction telephone according to claim 20, wherein said communication control section detects a call arrival at said portable phone through said connection control section, and responds to the arrived call through said connection control section when the response to said arrived call is permitted (see Col. 2, line 61 to Col. 3, line 6).

As to claim 24, the Hsueh reference discloses the multifunction telephone according to claim 22, wherein said communication control section receives said call arrival at said portable radiophone, and responds to an arrived call through said connection control section when the response to said arrived call is permitted (see Col. 2, line 61 to Col. 3, line 6).

Art Unit: 2685

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1, 3-10, 13, 16, 21, and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6,366,784 to Hsueh in view of Torrey et al. (U.S. Patent 6,466,799).

As to claim 1, Figures 1, 3, and 4 in Hsueh show a multifunction telephone switching system comprising:

a portable radiophone (7) (see Col. 2, lines 34-45);

a plurality of multifunction telephones, a specific one of which is connected to said portable radiophone (see Col. 2, lines 34-45 and Col. 3, lines 41-46); and

said specific multifunction telephone responds to said arrived call at said portable radiophone in response to the permission (see Col. 2, line 61 to Col. 3, line 6)

However, it does not disclose a control unit connected to said plurality of multifunction telephones to manage said plurality of multifunction telephones, wherein said specific multifunction telephone notifies said control unit of a call arrival at said portable radiophone, and said control unit permits response to an arrived call for said specific multifunction telephone based on an operation state of said specific multifunction telephone.

The Torrey reference teaches a control unit connected to said plurality of multifunction telephones to manage said plurality of multifunction telephones (see Col. 3, lines 40-53 and

Art Unit: 2685

Figure 1A), wherein said specific multifunction telephone notifies said control unit of a call arrival at said portable radiophone (see Col. 5, lines 34-49 and Col. 6, lines 38-54); and

said control unit permits response to an arrived call for said specific multifunction telephone based on an operation state of said specific multifunction telephone (see Col. 6, lines 38-54).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the switching system of Hsueh to comprise a control unit connected to said plurality of multifunction telephones to manage said plurality of multifunction telephones, wherein said specific multifunction telephone notifies said control unit of a call arrival at said portable radiophone; and said control unit permits response to an arrived call for said specific multifunction telephone based on an operation state of said specific multifunction telephone, as taught by Torrey, in order to allow a user to place and receive wireless calls from standard telephonic devices.

As to claim 3, Hsueh-Torrey discloses the multifunction telephone switching system according to claim 1, when said multifunction telephone cannot respond to said arrived call, said control unit selects another multifunctional telephone from said plurality of multifunction telephones based on the operation states of said plurality of multifunction telephones, and permits the response to said arrived call to said another multifunction telephone, and said another multifunction telephone responds to said arrived call in response to the permission (Torrey: see Col. 6, lines 55-67).

As to claim 4, Hsueh-Torrey discloses the multifunction telephone switching system according to claim 3, wherein said control unit determines that said specific multifunction

Art Unit: 2685

telephone cannot respond said arrived call, when said operation state of said specific multifunction telephone is busy (Torrey: see Col. 6, lines 38-54).

As to claim 5, Hsueh-Torrey discloses the multifunction telephone switching system according to claim 3, wherein said control unit determines that said specific multifunction telephone cannot respond to said arrived call, when said specific multifunction telephone lacks at least one of a handset and a set having a speaker and a microphone (Torrey: see Col. 6, lines 55-67. Without a handset and/or a speaker and a microphone, the multifunction telephone cannot receive a call and go into off-hook condition that the control unit monitors to determine the multifunctional telephone respond to an arrived call).

As to claim 6, Hsueh-Torrey discloses the multifunction telephone switching system according to claim 1, wherein said control unit comprises a data storage which stores operation data indicative of said operation state of each of said plurality of multifunction telephones, and refers to said data storage to determine whether each of said plurality of multifunction telephones is occupied (Torrey: see Col. 4, lines 35-53).

As to claim 7, Hsueh-Torrey discloses the multifunction telephone switching system according to claim 1, wherein said specific multifunction telephone can respond to said arrived call at said portable radiophone without waiting for the permission when the permission is previously given (Torrey: see Col 5, lines 19- 26 and Col. 6, lines 1-16).

As to claim 8, Hsueh-Torrey discloses the multifunction telephone switching system according to claim 1, wherein said specific multifunction telephone notifies said control unit of a line disconnection when communication through said portable radiophone is ended, and said

control unit sets said specific multifunction telephone to a vacant state (Torrey: see Col. 6, lines 52-54 and 65-67, and Col. 7, lines 8-10).

As to claim 9, Hsueh-Torrey discloses the multifunction telephone switching system according to claim 1, wherein said specific multifunction telephone communicates with any of said plurality of multifunction telephones by use of said control unit (Torrey: see Col. 2, lines 60-64, Col. 4, lines 15-22, and Figure 2A).

As to claim 10, Hsueh-Torrey discloses the multifunction telephone switching system according to claim 1, wherein said specific multifunction telephone originates a dial data comprising a dial number of a destination radiophone, and notifies the origination of the dial data to said control unit, and said portable radiophone originates a call to said destination radiophone based on said dial data (Torrey: see Col. 5, lines 11-18 and lines 50-67).

As to claim 13, Hsueh discloses the multifunction telephone according to claim 12. However, it does not disclose said communication control section can respond to said arrived call at said portable radiophone through said connection control without waiting for the permission when the permission is previously given. The Torrey reference teaches said communication control section can respond to said arrived call at said portable radiophone through said connection control without waiting for the permission when the permission is previously given (see Col 5, lines 19- 26 and Col. 6, lines 1-16).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the multifunction telephone of Hsueh wherein said communication control section can respond to said arrived call at said portable radiophone through said connection control without waiting for the permission when the permission is

Art Unit: 2685

previously given, as taught by Torrey, in order to allow a user to place and receive wireless calls from standard telephonic devices.

As to claim 16, the Hsueh reference discloses the multifunction telephone according to claim 12. However, it does not disclose the communication control section outputs a line disconnection when communication through said connection control section and said portable radiophone is ended. The Torrey reference teaches the communication control section outputs a line disconnection when communication through said connection control section and said portable radiophone is ended (see Col. 6, lines 52-54 and 65-67, and Col. 7, lines 8-10).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the multifunction telephone of Hsueh wherein the communication control section outputs a line disconnection when communication through said connection control section and said portable radiophone is ended, as taught by Torrey, in order to end a call.

As to claim 21, the Hsueh reference discloses the multifunction telephone according to claim 20. However, it does not disclose the communication control section notifies a control unit connected to said multifunctional telephone of a call arrival at said portable phone. The Torrey reference teaches the communication control section notifies a control unit connected to said multifunctional telephone of a call arrival at said portable phone (see Col. 5, lines 34-49 and Col. 6, lines 38-54).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the multifunction telephone of Hsueh wherein the

communication control section notifies a control unit connected to said multifunctional telephone of a call arrival at said portable phone, as taught by Torrey, in order to receive a call.

As to claim 23, Hsueh discloses the multifunction telephone according to claim 20. However, it does not disclose said communication control section can respond to said arrived call at said portable phone through said connection control without waiting for the permission when the permission is previously given. The Torrey reference teaches said communication control section can respond to said arrived call at said portable phone through said connection control without waiting for the permission when the permission is previously given (see Col 5, lines 19- 26 and Col. 6, lines 1-16).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the multifunction telephone of Hsueh wherein said communication control section can respond to said arrived call at said portable phone through said connection control without waiting for the permission when the permission is previously given, as taught by Torrey, in order to allow a user to place and receive wireless calls from standard telephonic devices.

6. Claims 2 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6,366,784 to Hsueh in view of Torrey et al. (U.S. Patent 6,466,799) and further in view of the applicant prior art (Admission).

As to claim 2, Hsueh-Torrey discloses the multifunction telephone switching system according to claim 1. However, it does not disclose the control unit sets said specific multifunction telephone to a busy state, after said control unit has permitted said specific multifunction telephone to respond. Admission teaches the control unit sets said specific

Art Unit: 2685

multifunction telephone to a busy state, after said control unit has permitted said specific multifunction telephone to respond ("when the multifunctional telephone control section 113 detects the off-hook state of the multifunction telephone 105, the multifunction telephone control section 113 notifies the detection result to the line switching control section 112. The line switching control section 112 carries out a channel establishing operation for the multifunction telephone 105. The line switching control section 112 records the off-hook (busy) state of the multifunction telephone 105 on the data storage section 114" (page 7, lines 9-18)).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the switching system of Hsueh-Torrey wherein the control unit sets said specific multifunction telephone to a busy state, after said control unit has permitted said specific multifunction telephone to respond, as taught by Admission, in order to properly carry out a call arriving process based on the communication state of the multifunction telephone.

As to claim 11, Hsueh-Torrey discloses the multifunction telephone switching system according to claim 1, wherein one of said plurality of multifunction telephone sends a dial data comprising a dial number of a destination radiophone to said control unit (Torrey: see Col. 5, lines 50-67), said control unit sends the dial data to said portable radiophone via said specific multifunctional telephone (Hsueh: see Col. 3, lines 18-29, Torrey: see Col. 5, lines 50-67), and said portable radiophone originates a call to said destination radiophone based on said dial data (Hsueh: see Col. 3, lines 18-29, Torrey: see Col. 5, lines 50-67). However, Hsueh-Torrey does not disclose the control unit sets said one multifunction telephone to a busy state.

Admission teaches the control unit sets said specific multifunction telephone to a busy state ("when the multifunctional telephone control section 113 detects the off-hook state of the multifunction telephone 105, the multifunction telephone control section 113 notifies the detection result to the line switching control section 112. The line switching control section 112 carries out a channel establishing operation for the multifunction telephone 105. The line switching control section 112 records the off-hook (busy) state of the multifunction telephone 105 on the data storage section 114" (page 7, lines 9-18)).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the multifunction telephone of Hsueh-Torrey wherein the control unit sets said specific multifunction telephone to a busy state, as taught by Admission, in order to properly carry out a call arriving process based on the communication state of the multifunction telephone.

7. Claims 15 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6,366,784 to Hsueh in view of the applicant prior art (Admission).

As to claims 15 and 25, Hsueh discloses the multifunction telephone according to claims 12 and 20. However, it does not disclose the communication control section outputs an operation state of said multifunction telephone when the operation state is changed. Admission teaches the communication control section outputs an operation state of said multifunction telephone when the operation state is changed ("when the multifunction telephone control section 113 detects the off-hook state of the multifunction telephone 105, the multifunction telephone control section 113 notifies the detection result to the line switching control section 112" (page 7, lines 9-13)).

Art Unit: 2685

“The line switching control section 112 records the off-hook state of the multifunction telephone 105 on the data storage section 114” (page 7, lines 15-18)).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the multifunction telephone of Hsueh wherein the communication control section outputs an operation state of said multifunction telephone when the operation state is changed, as taught by Admission, in order to properly carry out a call arriving process based on the communication state of the multifunction telephone.

Conclusion

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- a. Hiroki (U.S. Patent 6,314,298) discloses wireless communications system having a communications apparatus accommodating communication lines and a wireless communications apparatus wirelessly connected to said apparatus, and method of controlling said system.
- b. Goetz (U.S. Patent 6,643,523) discloses alternative routing system for mobile telephone calls.
- c. Steinbeck et al. (U.S. Patent 4,752,949) discloses corded/cordless telephone.
- d. Thiede et al. (U.S. Patent 5,555,448) discloses combined wireless/wired phone handset system.
- e. Namekawa (U.S. Patent 4,860,335) discloses method for notifying of a call arrival.

- f. Dent (U.S. Patent 5,903,835) discloses satellite communications adapter for cellular handset.
 - g. Helstab et al. (U.S. Patent 6,073,031) discloses desktop docking station for use with a wireless telephone handset.
 - h. Phipps (U.S. Patent 6,314,303) discloses apparatus for providing enhanced functionality to a mobile station.
 - i. Tanaka (U.S. Patent 6,125,277) discloses cordless telephone containing a protocol converting circuit to connect to digital exchanges having different protocols.
9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Duy K Le whose telephone number is 703-305-5660. The examiner can normally be reached on 8:30 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward F Urban can be reached on 703-305-4385. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Duy Le

 6/14/04

QUOCHIEN B. VUONG
PRIMARY EXAMINER